

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"5236891".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 14:13
L2	311	(kenichi near2 sato).in.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 14:15
L3	44	2 and "505".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 14:15
L4	13	(sumimoto near2 electric). as.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 14:38
L5	6922	(sumitomo near2 electric). as.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 14:39
L6	483	5 and (superconductive or superconductor)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 14:39
L7	1	10/450550.app.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 15:16
L8	1	10/540550.app.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 15:17
L9	0	pressure near speed	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:02
L10	15701	pressure near speed	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:02
L11	45115	pressure near2 speed	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:02
L12	15701	pressure near speed	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:02
L13	1	1 and "505".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:02

L14	3	10 and "505".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:02
L15	179	10 and "29".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:04
L16	6	(Bi-2223 or BS000) and (pressure near2 speed)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:05
L17	17	(Bi-2223 or BS000) and (pressure near2 increase)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:06
L18	16	(Bi-2223 or BS000) and (pressure near2 rate)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:09
L19	23926	(pressure or pressuriz\$5 or pressuris\$5) near2 continuous	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:10
L20	44879	(pressure or pressuriz\$5 or pressuris\$5) near2 (continuous or continuous \$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:10
L21	4	20 and 29/599.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:11
L22	0	20 and "427".ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:12
L23	771	20 and "427".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:12
L24	29	20 and "505".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:12
L25	689	20 and "29".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:12
L26	259	processing with oxide with superconductor	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:36
L27	10	processing with pressure with oxide with superconductor	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:37

L28	30	(US-20060116292-\$ or US-20070287635-\$ or US-20080280767-\$ or US-20060048854-\$ or US-20090197771-\$ or US-20010019998-\$ or US-20010021689-\$ or US-20020022576-\$ or US-20020028749-\$ or US-20020183208-\$ or US-20040237294-\$ or US-20030027723-\$ or US-20020016265-\$ or US-20010027166-\$ or US-20020176943-\$ or US-20040041769-\$ or US-20020128155-\$).did. or (US-6632776-\$ or US-4952555-\$ or US-6601289-\$ or US-6713437-\$ or US-6393690-\$ or US-6360425-\$ or US-6195870-\$ or US-5434129-\$ or US-5478801-\$ or US-5603983-\$ or US-5236891-\$ or US-5288699-\$ or US-5696392-\$).did.	US-PGPUB; USPAT	OR	OFF	2011/02/23 16:52
L29	4	28 and pinhole	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 16:52
L31	926	427/62.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 17:04
L32	648	427/62.ccls. and pressure	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 17:04
L33	1	31 and 19	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 17:04
L34	648	(pressure or pressuriz\$5 or pressuris\$5) and 31	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 17:05
L35	3	("5550103" "5306698" "5236891").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 17:08
L36	1	superconductor adj tape and blistering	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 17:11

L37	0	superconductor adj tape and blister	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 17:11
S1	0	"10540550".app.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 11:07
S2	1	"10/540550".app.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 11:07
S4	221	(takeshi near kato).in.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 11:17
S6	5	(kouhei near yamazaki). in.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 11:17
S8	1	"6632776".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 11:28
S9	197	"oxide superconducting wire"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 11:34
S10	174	"oxide superconducting wire" and silver	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 11:35
S11	102	"oxide superconducting wire" same silver	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 11:45
S12	70	"oxide superconducting wire" same silver and (heat adj treatment)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 11:45
S13	4	"oxide superconducting wire" same silver and (heat adj treatment) and (yield adj strength)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 11:49
S14	5	"oxide superconducting wire" same MPa/min	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 13:50
S15	1	"20030027723".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 15:49
S16	11	(sumimoto near electric near industries).as.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 15:53
S17	154	(shinichi near kobayashi). in.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 15:57

S18	14	(shinichi near kobayashi). in. and superconductor	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 15:57
S19	11	(shinichi near kobayashi). in. and superconductivity	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 15:57
S20	1	"6632776".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:02
S21	1	"6393690".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:02
S22	5	"superconducting wire" same MPa/min	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:18
S23	0	"superconductive wire" same MPa/min	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:18
S24	0	"oxide superconductive wire" and MPa/min	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:19
S25	5	"oxide superconducting wire" and MPa/min	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:19
S26	5	"superconducting wire" and MPa/min	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:19
S27	5	"superconducting wire" and MPa/min or MPa/sec	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:19
S28	219	"superconducting wire" and MPa/min or MPa/sec	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:19
S29	0	"oxide superconducting wire" and MPa/sec	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:19
S30	5	"superconducting wire" and (MPa/min or MPa/ sec)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:19
S31	7866	"505".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:27
S32	60	S31 and pressurization	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:27
S33	1	"20030059734".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:53

S34	4	"505".clas. and (MPa/min or torr/min)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 16:55
S35	0	"0.0[5:9]"\$ with mPa	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:03
S36	0	"148.clas",	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:17
S37	59552	"148".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:17
S38	161	148/98.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:17
S39	53	148/98.ccls. and pressure	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:17
S40	0	148/98.ccls. and (pressure adj (increase or decrease))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:21
S41	5	505/230.ccls. and (pressure adj (increase or decrease))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:22
S42	3	505/430.ccls. and (pressure adj (increase or decrease))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:23
S43	3	505/500.ccls. and (pressure adj (increase or decrease))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:23
S44	2227	"505" and (pressure adj (increase or decrease))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:24
S45	1668	"505" and ((pressure with (increase or decrease)) with rate)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:24
S46	45	"505".clas. and ((pressure with (increase or decrease)) with rate)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:24
S47	1178	29/599.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:47
S48	63	S47 and (anneal or annealing or annealed) with oxygen	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 17:47
S49	0	148/98.ccls. and "pressure continually increased"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:16

S50	0	148/98.ccls. and "pressure continuously increased"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:16
S51	81	"pressure continuously increased"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:16
S52	10	"pressure continuously increased" and wire	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:17
S53	572	(pressure same continuously with increased) and wire	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:17
S54	7	S53 and "148".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:18
S55	15	S53 and "29".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:18
S56	249	Bi-2223	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:24
S57	0	Bi-2223 and pressure adj rate	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:25
S58	0	Bi-2223 and pressure near rate	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:25
S59	1	Bi-2223 and pressure near3 rate	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:25
S60	14	Bi-2223 and pressure near4 rate	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:25
S61	12	Bi-2223 and pressure near5 increase	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:28
S62	34	(Bi-2223 or BS000) and pressure near5 increase	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:30
S63	3	(Bi-2223 or BS000) and pressure adj rate	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:30
S64	0	(Bi-2223 or BS000) and (MPa/min or torr/min or atm/min or psi/min)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:32

S65	0	(Bi-2223 or BSOCO) and (MPa/min or torr/min or atm/min or psi/min or "mpa.sub.min")	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 19:32
S66	86	(Bi-2223 or BSOCO) and ("427".clas.)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 20:03
S67	109301	sintering	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 20:09
S68	21	sintering and 29/505.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 20:09
S69	205	sintering and 29/599.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 20:09
S70	140	sintering and 29/599.ccls. and pressure	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 20:09
S71	71	29/599.ccls. and pressure same sintering	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 20:09
S72	101	29/599.ccls. and (partial adj pressure)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/22 20:12
S73	1	10/540550.app.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 11:32
S74	0	2004/0132946.pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 11:48
S75	1	"20040132946".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/02/23 11:48

2/23/2011 5:59:03 PM

C:\Documents and Settings\ftschen\My Documents\EAST\Workspaces\10540550.wsp